LEDWARK
LIGHTING SOLUTIONS

PRODUCT
CATALOG

2026







About Us

LEDWARK
LIGHTING SOLUTIONS

Ledwark Lighting Solutions LLP is a premier architectural lighting company focused on transforming spaces through innovative and purposeful illumination. From precision spotlights and track systems to ceiling lights, strip lighting, and 48V magnetic technology, every product is designed with precision optics, lasting reliability, and modern aesthetics — delivering performance that looks as exceptional as it lasts.

OUR VISION

To redefine architectural lighting through innovation, precision, and timeless design — creating lighting solutions that elevate spaces, enhance experiences, and stand the test of time.
At Ledwark Lighting Solutions LLP, we envision a future where lighting is not merely functional, but an integral part of architecture — thoughtfully engineered to bring every space to life.

+91 7454891011/9702222211

www.ledwark.com

sales@ledwark.com

ARCHITECTURAL LIGHTING



COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS - 01-299

LED-COB SLIM DEEP RECESSED SPOTLIGHT HOUSING (8/12) WATTS


Outer Diameter	-	45/55 mm
Height	-	92/86 mm
Cut Out	-	40/50 mm
Wattage	-	8/12w
Reflector Angle	-	36°
COLORS	-	White
Led	-	Cree / Bridgelux
Driver	-	Philips / Fullham

LLS - 02-300

LED -COB-DEEP RECESSED SMD DOWNLIGHT HOUSING (12/18) WATTS

Outer Diameter	-	82/103 mm
Height	-	71/76 mm
Cut Out	-	75/95 mm
Wattage	-	12/20 w
Reflector Angle	-	120 °
COLORS	-	WH/BK
Reflector Cup	-	BRASS GOLD
Suitable LED	-	2835/3030





LLS -03-301

LED -COB DEEP RECEESED EMBOSSED SPOT LIGHTHOUSING (6/8 / 12 / 15) WATTS

Outer Diameter	-	45/55 mm
Height	-	92/86 mm
Cut Out	-	40/50 mm
Wattage	-	8/12w
Reflector Angle	-	36 °
COLORS	-	White
LES	-	11 mm
Suitable COB	-	1304/1507

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -04-302

LED -COB LOW DEPTH DEEP RECESSED SPOT LIGHTHOUSING (8/15 W)

Outer Diameter	-	62/83 mm
Height	-	38/44 mm
Cut Out	-	55/75 mm
Wattage	-	8/15 w
Reflector Angle	-	36 °
COLORS	-	WHITE
LES	-	11 mm
Suitable COB	-	1304/1512

LLS -05-303

LED -COB PIN HOLE TRIMLESS SPOT LIGHTHOUSING (10)W) FRONT LOADING

Outer Diameter	-	125 mm
Height	-	70 mm
Cut Out	-	90 mm
Wattage	-	10w
Reflector Angle	-	36 °
COLORS	-	White
LES	-	7 mm
Suitable COOB	-	V6HD






LLS -06-04

LED COB SLIM DEEP RECESSED SPOT LIGHTHOUSING (10/15W)

Outer Diameter	-	52/62 mm
Height	-	83/80 mm
Cut Out	-	45/55 mm
Wattage	-	10/15w
Reflector Angle	-	36 °
COLORS	-	Wh
LES	-	7/11 mm
Suitable COB	-	V6HD/1512

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -07-311


LED-COB DEEP RECESSED SQUARE SPOT LIGHT HOUSING (8/12W)

Outer Spec(8w)	-	65 x 65
Height	-	45 mm
Cut Out	-	55 x 55 mm
LES/Suitable LED	-	7mm/1304
Outer Spec(12w)	-	85 X 85 mm
Height	-	50 mm
Cut Out	-	75 x 75 mm
LES/Suitable LED	-	11mm/1507
Angle	-	36 deg
COLORS	-	Wh

LLS -08-283

LED COB DEEP RECESSED ANTIGLARE -SPOT LIGHT HOUSING 12W FRONT LOADING

Outer Diameter	-	85 mm
Height	-	69 mm
Cut Out	-	75 mm
Wattage	-	12w
Reflector Angle	-	24°
COLORS	-	White
LES	-	11 mm
Suitable COB	-	1507/1501





LLS -09-284

COB DEEP RECESSED ANTIGLARE SPOT LIGHT HOUSING (6/8/12W)

Outer Diameter	-	46/60/60 mm
Height	-	56/75/95 mm
Cut Out	-	37/48/48 mm
Wattage	-	6/8/12w
Reflector Angle	-	24°
COLORS	-	White/Bk
LES	-	7 mm
Suitable COOB	-	1304
Suitable COOB	-	V6HD

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -10-305

LED COB PIN HOLE SPOT LIGHT HOUSING (6/8 / 12) W

Outer -(mm)	-	60/70/80
Cut Out - (mm)	-	55/65/75
Height- (mm)	-	50/51/53
Wattage	-	6/8/12w
Reflector Angle	-	36 °
COLORS	-	White
LES	-	7 mm
Suitable COB	-	13040/6HD

LLS -11-307

LED COB SLIM DEEP RECESSED CURVE HOUSING (7/12/15/18)WATTS

Outer Diameter	-	53/63/73/83
Height	-	61/73/74/81
Cut Out	-	45/55/65/75
Wattage	-	8/12/15/18
Reflector Angle	-	36 °
COLORS	-	White
LES	-	1304/0801
Suitable COB	-	1507/1501
Suitable COB	-	1512
Suitable COB	-	10





LLS -12-309

LED-COB- SLIM DEEP RECESSED SPOT LIGHT HOUSING (06WATTS) 30MM CUTOUT

Outer	-	35 mm
Cut Out	-	30 mm
Wattage	-	6w
Height	-	86 mm
Angle	-	24 °
COLORS	-	Wh
LES	-	5mm
Suitable LED	-	V6HD

+91 7454891011/ 9702222211 sales@ledwark.com www.ledwark.com

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -13-279

LED -COB-DEEP RECESSED TRIMLESS MOVEABLE HOUSING 12 WATTS

Outer Diamete	-	98 mm
Height	-	72 mm
Cut Out	-	75 mm
Wattage	-	12w
Reflector Angle	-	36 °
COLORS	-	White
Reflector Cup	-	Gun black
LES	-	11 mm
Suitable COB	-	1507
Suitable COB	-	1501

LLS -14-280

LED -COB ANTIGLARE SPOT LIGHTHOUSINGDEGREE/HEIGHTADUSTABLEFRONTLOADING15 WATTS

Outer Diameter	-	82 mm
Height	-	71-86 mm
Cut Out	-	75 mm
Wattage	-	15w
Reflector Angle	-	36 °
COLORS	-	White
Reflector Cup	-	Gmb
LES	-	7 mm
Suitable COOB	-	V6HD





LLS -15-281

LED-COB DEEP RECESSED ANTI GLARE SPOT LIGHT HOUSING 12W

Outer Diameter	-	84.5 mm
Height	-	52.5 mm
Cut Out	-	75 mm
Wattage	-	12w
COLORS	-	White
Reflector Angle	-	36 °
LES	-	11 mm
Suitable COB	-	1507
Suitable COB	-	1501

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -16-317

LED -COB SEMI SURFACE SPOT LIGHT HOUSING (12 W)

Outer Diameter	-	83 mm
Height	-	75 mm
Cut Out	-	72 mm
Wattage	-	12w
Reflector Angle	-	36 °
COLORS	-	Wh/Bk
LES	-	11 mm
Suitable COB	-	1501/1507

LLS -17-313

LED -COBANTIGLARE ULTRA DEEP (50 MM) RECESSED SPOT LIGHT HOUSING (12) WATTS

Outer Diameter	-	83 mm
Height	-	65 mm
Cut Out	-	75 mm
Wattage	-	12w
Reflector Angle	-	55 °
COLORS	-	W+B/W+W
LES	-	11 mm
Suitable COB	-	1507/1512
IP-RATING	-	IP-54





LLS -18-315

LED-COB SURFACE SPOT LIGHT HOUSING(6/9/ 13 W)

Outer Diameter	-	81 mm
Height	-	88 mm
Cut Out	-	75 mm
Wattage	-	12w
Reflector Angle	-	12-36°
COLORS	-	W+GMB
LES	-	7 mm
Suitable COB	-	V6HD/CMB
IP-Rating	-	IP-54

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -19-55

LED COB GYPSUM -MR16 FRAME (SQUARE/ ROUND)

Outer Dia (Rd)	-	100 mm
Outer Dim (Sq)	-	100 x 100 mm
Height	-	40 mm
COLORS	-	White

LLS -20-314

LED COB ANTIGLARE ADJUSTABLE SPOT LIGHT HOUSING (12- 15W)

Outer Diameter	-	82 mm
Height	-	101 mm
Cut Out	-	75 mm
Wattage	-	12-15w
COLORS	-	Wh + Gmb
LES	-	11 mm
Suitable COB	-	1507/1501





LLS -21-42

LED MINI COB SPOT LIGHT HOUSING (3W)

Outer Diameter	-	37 mm
Height	-	33 mm
Cut Out	-	33 mm
Wattage	-	3w
Reflector Angle	-	24 °
COLORS	-	White/B.gold
LES	-	7 mm
Suitable COB	-	1304

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -22-43

LED MINI COB SPOT LIGHT HOUSING (3W)

Outer Diameter	-	39 mm
Height	-	28 mm
Cut Out	-	35 mm
Wattage	-	3w
COLORS	-	White/B.gold
LES	-	7 mm
Suitable COB	-	1304

LLS -23-249

LED -COBDEEP RECESSED PIN HOLE CURVED HOUSING (12W) FRONT LOADING

Outer Diameter	-	82 mm
Height	-	81 mm
Cut Out	-	75 mm
Wattage	-	12w
Reflector Angle	-	15 °
COLORS	-	White
Reflector Cup	-	Wh/GMB
LES	-	7 mm
Suitable COB	-	V6HD





LLS -24-251

LED-COB SURFACE SPOT LIGHT HOUSING(6/9/ 13)W

Outer Diameter	-	101 mm
Height	-	81 mm
Cut Out	-	75 mm
Wattage	-	12w
Reflector Angle	-	15 °
COLORS	-	White
Reflector Cup	-	Wh/GMB
LES	-	7 mm
Suitable COB	-	V6HD

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -25-253

LED COB DEEP RECESSED CURVE PIN SPOT LIGHT HOUSING (6/8/12/15W)

Outer Diameter	-	42/62/72/82 mm
Height	-	60 mm
Cut Out	-	35/55/65/75 mm
Wattage	-	6/8/12/15w
Reflector Angle	-	24 °
COLORS	-	Wh/Bk/GMB
LES	-	7 mm
Suitable COB	-	1304/V6HD

LLS -26-254

LED COB ANTIGLARE LOW HEIGHT SPOT LIGHT HOUSING (7/10/15 W)

Outer Size	-	51/83/103 mm
Height	-	47/52/57 mm
Cut Out	-	55/75/95 mm
Wattage	-	7/10/15 w
Reflector Angle	-	36 °
COLORS	-	White
Reflector Cup	-	Wh/GMB
LES	-	7/11/11 mm
Suitable COB	-	1304/1507





LLS -27-257

LED COB MV SPOT LIGHT HOUSING WITH MULTIPLE FRAME OPTIONS (12/15W) PIN HOLE, KEY HOLE, ROUND HOLE, ANTIGLARE,C URVE, SMD

Outer Diameter	-	83 mm
Height	-	70/78 mm
Cut Out	-	75 mm
Wattage	-	12/15w
Reflector Angle	-	36 °
COLORS	-	White
LES	-	11 mm
Suitable COB	-	1507/1512
Ref/cup Styles	-	Oliver hole Small hole Rd hole Arc SMD Antiglare GMB Antiglare

+91 7454891011/ 9702222211 sales@ledwark.com www.ledwark.com

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -28-259

LED COB ANTIGLARE ADJUSTABLE WALL WASHER SPOT LIGHT HOUSING (9/15/30 W)

Outer Diameter	-	60/82/110 mm
Height	-	76/88/120 mm
Cut Out	-	55/75/95 mm
Wattage	-	9/15/30 w
Reflector Angle	-	24/36/36 °
COLORS	-	White
Reflector Cup	-	Wh/GMB
LES	-	7/11/14 mm
Suitable COB	-	1304/1512
Suitable COB	-	1816

LLS -29-260

LED COB ANTIGLARE ADJUSTABLE WALL WASHER TRIMLESS SPOT LIGHT HOUSING (15W)

Outer Diameter	-	105 mm
Height	-	88 mm
Cut Out	-	75 mm
Wattage	-	15w
Reflector Angle	-	36 °
COLORS	-	White
Reflector Cup	-	Wh/GMB
LES	-	11 mm
Suitable COB	-	1512





LLS -30-263

LED-COB LOW HEIGHT MOVEABLE SPOT LIGHT HOUSING (6/8/10W)

Outer Diameter	-	60/70/90 mm
Height	-	24/24/27 mm
Cut Out	-	55/65/85 mm
Wattage	-	6/8/10 w
Reflector Angle	-	24/24/36°
COLORS	-	white
LES	-	7/7/11 mm
Suitable COB	-	1304/1507

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -31-264

LED-COB LOW HEIGHT SPOT LIGHT HOUSING (6/8/10W)

Outer Diameter	-	52/62/82 mm
Height	-	24/24/27 mm
Cut Out	-	45/55/75 mm
Wattage	-	6/8/10 w
Reflector Angle	-	24/24/36 °
COLORS	-	Wh/Bk
LES	-	7/7/11 mm
Suitable COB	-	1304/1507

LLS -32-265

LED-COB DEEP RECEESED ANTIGLARE SPOT LIGHT HOUSING (9/12/15W)

Outer Diameter	-	62/72/84 mm
Height	-	68/66/80 mm
Cut Out	-	55/65/75 mm
Wattage	-	9/12/15 w
Reflector Angle	-	36 °
COLORS	-	White
Reflector Cup	-	GMB
LES	-	7/7/11 mm
Suitable COB	-	1304/1507
Suitable COB	-	V6HD





LLS -33-226

LED-COB SLIM DEEP RECESSED SPOT LIGHT HOUSING (25W) 60 MM CUTTING

Outer Diameter	-	65 mm
Height	-	105 mm
Cut Out	-	60 mm
Wattage	-	25w
Reflector Angl	-	36 °
COLORS	-	White
Reflector Cup	-	Wh/GMB
LES	-	11 mm
Suitable COB	-	BLX-2000 S

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -34-269

LED-COB ANTIGLARE FRONT LOAD MOVEABLE SPOT LIGHT HOUSING (7/10/15W)

Outer Diameter	-	40/50/62 mm
Height	-	90/108/120 mm
Cut Out	-	35/45/55 mm
Wattage	-	7/10/15w
Reflector Angle	-	24/36/36 °
COLORS	-	White
Reflector cup	-	GMB
LES	-	7/7/11 mm
Suitable COB	-	1304/V6HD
Suitable COB	-	1512

LLS -35-269

LED-COB ANTIGLARE FRONT LOAD TRIMLESS SPOT LIGHT HOUSING (10/15/18/22W)

Outer Size	-	70/80/90/112
Height	-	70/75/77/84
Cut Out	-	45/55/65/75
Wattage	-	10/15/18/22
Reflector Angle	-	36 °
COLORS	-	White
Reflector Cup	-	Wh/GMB
Reflector Cup	-	Brass gold
LES	-	7/7/11/11
Suitable COB	-	V6HD/1512
Suitable COB	-	BLX-2000 s





LLS -36-53

LED COB SURFACE SPOT LIGHT HOUSING (12W)

Outer Diameter	-	65 mm
Height	-	98 mm
Wattage	-	12w
Reflector Angle	-	36 °
COLORS	-	Wh/Bk
LES	-	11 mm
Suitable COB	-	1507

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -37-192

LED CURVY SPOT LIGHT HOUSING (8,12,15 W)

Outer Diameter	-	53/73/83 mm
Height	-	53/60/61 mm
Cut Out	-	45/65/75 mm
Wattage	-	8/12/15 w
COLORS	-	Wh/BK/GMB
12W ONLY	-	BRASS-GOLD
LES	-	7/11/11 mm
Suitable COB	-	1304/0801
Suitable COB	-	1507/1512/1501

LLS -38-180

LED ANTIGLARE DOWN LIGHT HOUSING (12/18W)

Outer Diameter	-	82/105 mm
Height	-	40/44 mm
Cut Out	-	75/95 mm
Wattage	-	12/18 w
COLORS	-	Wh
Reflector colour	-	Bk/Gmb
PCB	-	4S3P/4S6P
Suitable LED	-	3030/2835






LLS -39-226

LED-COB-DEEP RECESSED HOUSING (8/12/18) WATTS

Outer Diameter	-	74/84/104 mm
Height	-	56/59/71 mm
Cut Out	-	65/75/95 mm
Wattage	-	8/12/18w
Reflector Angle	-	36 °
COLORS	-	Wh/Bk
Reflector Cup	-	Wh/Bk/Gmb
LES	-	7mm/11/mm
Suitable COB	-	0801/1304
Suitable COB	-	1507/1501

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -40-144

LED COB DEEP RECESSED ANTIGLARE SPOT LIGHT HOUSING

Wattage	-	10w
Dimensions/cut out	-	60 X 76 mm
	-	55 mm
LES	-	7 mm
SUITABLE COB	-	Cree 1304
Reflector Angle	-	36°
COLORS	-	Wh/Bk Wh+Bk

LLS -41-144

LED COB DEEP RECESSED ANTIGLARE SPOT LIGHT HOUSING



Wattage	-	12w
Dimensions/cut out	-	70 X 85 mm
	-	65 mm
LES	-	11 mm
SUITABLE COB	-	Cree 1507
Reflector Angle	-	36°
COLORS	-	Wh/Bk Wh+Bk



LLS -42-144

LED COB DEEP RECESSED ANTIGLARE SPOT LIGHT HOUSING

Wattage	-	18w
Dimensions/cut out	-	82 X 85 mm
	-	75 mm
LES	-	11 mm
SUITABLE COB	-	Cree 1512
Reflector Angle	-	36°
COLORS	-	Wh/Bk Wh+Bk

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -43-145

LED COB DEEP RECESSED SPOT LIGHT HOUSING

Wattage	-	6W
Dimensions/cut out	-	35 X 60mm
LES	-	30 mm
SUITABLE COB	-	7mm
Reflector Angle	-	Cree 1304
COLORS	-	36°
		Wh/Bk Gmb

LLS -44-145

LED COB DEEP RECESSED SPOT LIGHT HOUSING

Wattage	-	8W
Dimensions/cut out	-	45 x 67 mm
LES	-	40 mm
SUITABLE COB	-	7 mm
Reflector Angle	-	Cree 1304
COLORS	-	36°
		Wh/Bk Gmb





LLS -45-145

LED COB DEEP RECESSED SPOT LIGHT HOUSING

Wattage	-	10W
Dimensions/cut out	-	55 x 70 mm
LES	-	50 mm
SUITABLE COB	-	11 mm
Reflector Angle	-	Cree 1507
COLORS	-	36°
		Wh/Bk Gmb

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -46-179

LED COB ANTI GLARE DEEP RECESSED SPOT LIGHT HOUSING (6/8/12W)

Outer Diameter	-	40/50/60 mm
Height	-	60/72/87 mm
Cut Out	-	35/45/55 mm
Wattage	-	6/10/15w
Reflector Angle	-	24/38/38 °
COLORS	-	Wh/Bk
Reflector Cup	-	Wh/Bk/Gmb
LES	-	7/11/11 mm
Suitable COB	-	1304/1507
Suitable COB	-	1512

LLS -47-126

COB IP-65 ADJUSTABLE SPOT LIGHT HOUSING (6/10/15W) WHITE/ GUN BLACK

Outer Diameter	-	52/62/73 mm
Height	-	72/77/80 mm
Cut Out	-	45/55/65 mm
Wattage	-	6/10/15w
Reflector Angle	-	36 °
COLORS	-	Wh/GMB
LES	-	7/7/11 mm
Suitable COB	-	1304/1507
Suitable COB	-	0801/1501






LLS -48-31

MINI MOVABLE SPOT HOUSING (3 W)

Outer Diameter	-	40 mm
Height	-	25 mm
Cut Out	-	33 mm
Wattage	-	3w
COLORS	-	Wh/Bk
LED SUITABLE	-	3030/3535

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -49-271

LED-COB DEEP RECESSED SPOT LIGHT HOUSING (10/15W)

Outer Diameter	-	80/90 mm
Height	-	71/78 mm
Cut Out	-	75/85 mm
Wattage	-	10/15w
Reflector Angle	-	36 °
COLORS	-	Brass gold
COLORS	-	Rose Gold
LES	-	7/11 mm
Suitable COB	-	V6HD/1507



LLS -50-54

LED COB SURFACE SPOT LIGHT HOUSING (5/10/15W)

Outer Diameter	-	58/72/85 mm
Height	-	69/77/88 mm
Wattage	-	6/10/15w
Reflector Angle	-	36 deg
COLORS	-	Grey
COLORS	-	Rose gold
COLORS	-	Brass gold
LES	-	1304/1507
Suitable COB	-	7/11/7 mm



LLS -51-277

LED SLIM LED SLIM LINEA SPOT LIGHT HOUSING (12W) INEA SPOT LIGHT HOUSING (12W)

Outer Dimensions	-	108 x 32mm
Height	-	39 mm
Cut Out	-	100 x 25mm
Wattage	-	10w
COLORS	-	White/bk
Angle	-	24°
Suitable LED	-	3030/3535

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -52-310

LED LINEA -SPOTLIGHT/ WALL WASHER HOUSING 12W

Outer Diameter	-	146 x 45
Height	-	43 mm
Cut Out	-	136 x 35mm
Wattage	-	12w
Angle	-	24 deg
COLORS	-	White
Reflector Cup	-	Gun black
Suitable LED	-	SMD-3535
Suitable LED	-	SMD-3030



LLS -53-294

LED- FRONT LOADING TRIMLESS LINEA SPOTLIGH THOUSING (12W)

Outer Dimensions	-	175 x 28mm
Height	-	51 mm
Cut Out	-	125 x 30mm
Wattage	-	12w
COLORS	-	Wh + Gmb
Angle	-	24 °
Suitable LED	-	3030/3535



LLS -54-295

LED LINEA WALL WASHER SPOT LIGHT HOUSING (12W)

Outer Dimension	-	112.5 x 31.5mm
Height	-	45 mm
Cut Out	-	108 x 27mm
Wattage	-	12w
COLORS	-	White
Suitable LED	-	3030/3535

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -55-282

LED-COB DEEP RECESSED ANTI GLARE SPOT LIGHT HOUSING 12W

Outer Diameter	-	84.5 mm
Height	-	60 mm
Cut Out	-	75 mm
Wattage	-	12w
COLORS	-	White
Reflector Cup	-	Chrome
Reflector Angle	-	36 °
LES	-	11 mm
Suitable COB	-	1507
Suitable COOB	-	1501



LLS -56-34

LED-COB IP 65 ANTI GLARE SPOT LIGHT HOUSING (10/15/25W)

Outer Diameter	-	65/85/105 mm
Height	-	70/75/95 mm
Cut Out	-	55/75/95
Wattage	-	10/15/25w
Reflector Angle	-	36 °
COLORS	-	White/Bk
LES	-	7/11/11 mm
Suitable COOB	-	1304
Suitable COOB	-	1507/1512



LLS -57-38

LED MOVEABL EMINI SPOT LIGHT HOUSING (3W)

Outer Diameter	-	42 mm
Height	-	32 mm
Cut Out	-	35 mm
Wattage	-	3w
COLORS	-	White
Angle	-	24 °
Suitable LED	-	3535 LED

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -58-250

LED -COBDEEP RECESSED PIN HOLE CURVED TWIN HOUSING (24W) FRONT LOADING

Outer Size	-	164 x 84mm
Height	-	81 mm
Cut Out	-	155 x 75mm
Wattage	-	12w
Reflector Angle	-	15°
COLORS	-	White
Reflector Cup	-	Wh/GMB
LES	-	7 mm
Suitable COB	-	V6HD



LLS -59-256

LED COB TWIN CURVE SPOT HOUSING (24W)

Outer Size	-	166 x 87 mm
Height	-	53 mm
Cut Out	-	155 x 75 mm
Wattage	-	12 x 2
Reflector Angle	-	36 °
COLORS	-	Wh
LES	-	11 mm
Suitable COB	-	1507



LLS -60-261

LED COB RIM/TRIMLESS ANTIGLARE ADJUSTABLE WALL WASHER TWIN SPOT LIGHT HOUSING (30 W)

O. Size -Rim	-	158 X 85 mm
O. Size -Trimless	-	175 x 106 mm
Height	-	88 mm
Cut Out	-	148 x 75 mm
Wattage	-	15 x 2
Angle	-	36 °
COLORS	-	White
LES	-	Wh/GMB
Suitable COB	-	11 mm
Suitable COB	-	1512

+91 7454891011/ 9702222211 sales@ledwark.com www.ledwark.com

COB SPOT LIGHTS



LLS -61-296

LED-LINEA ADJ- WALL WASHER HOUSING (10W)

Outer Diameter	-	65 mm
Pipe Diameter	-	32 mm
Height	-	22 + 190mm
Cut out	-	50 mm
Wattage	-	10w
COLORS	-	White
Suitable LED	-	3535/3030
Angle	-	24 °



LLS -62-57

LED COB 5HEADS SURFACE ADJUSTABLE SPOT LIGHT HOUSING WITH HANGING (25-30W)

Outer Diameter	-	378 x 61mm
Height	-	46mm
Wattage	-	25-30w
COLORS	-	White
LES	-	7 mm
Suitable COOB	-	1304/0801
Reflector Angle	-	24 °



LLS -63-56

LED COB 3 HEADS SURFACE ADJUSTABLE SPOT LIGHT HOUSING WITH HANGING (15-18W)

Outer Diameter	-	182 x 60mm
Height	-	45 mm
Wattage	-	15-18w
COLORS	-	White
LES	-	7 mm
Suitable COB	-	1304/0801
Reflector Angle	-	24 °

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -64-33

LED-COB EYE BALL MOVEABLE MINI SPOT LIGHT HOUSING (3- 5W)

Outer Diameter	-	49 mm
Height	-	35 mm
Wattage	-	3w
Reflector Angle	-	5 °
COLORS	-	White
Suitable LED	-	3535 led



LLS -65-36

LED SUPER SLIM MINI SPOT LIGHT HOUSING (3-5W)

Outer Diameter	-	30 mm
Height	-	70 mm
Cut Out	-	25 mm
Wattage	-	3w
COLORS	-	White/BK
Angle	-	24 °
LES	-	4.8 mm



LLS -66-06

LED COB MR16 MODULE - (18W)

Outer Diameter	-	50 mm
Height	-	115 mm
Wattage	-	18w
Reflector Angle	-	36 °
COLORS	-	White
LES	-	11 mm
Suitable COB	-	1501/1507

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -67-55

LED-COB SURFACE SPOT LIGHT HOUSING(6/9/ 13) W

Outer Diameter	-	45/55/75 mm
Height	-	81 mm
Wattage	-	6/9/13w
COLORS	-	Wh/Bk
COLORS	-	Brown
LES	-	7/11/11 mm
Reflector Ang	-	24/36/36 °
Suitable COOB	-	1304/1507
Suitable COOB	-	1507



LLS -68-58

LED COB ROUND SURFACE SPOT LIGHT HOUSING (10W)

Outer Diameter	-	70 mm
Height	-	81 mm
Wattage	-	10w
Reflector Angle	-	36 °
COLORS	-	Wh/Bk
LES	-	14 mm
Suitable COB	-	1507/1501



LLS -69-59

LED COB SQUARE SURFACE SPOTLIGHT HOUSING (10W)

Outer Diameter	-	70 mm
Height	-	81 mm
Wattage	-	10w
COLORS	-	Wh/Bk
LES	-	11 mm
Reflector Angle	-	36 °
Suitable COB	-	1507/1501

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -70-318

LED -COB SLIM MOVEABLE SPTLIGHT HOUSING (6/8/12 W)

Outer Diameter	-	39/50/60 mm
Height	-	82/92/105 mm
Cut Out	-	35//45/55 mm
Wattage	-	6/9/12 w
Reflector Angle	-	24/36/36°
COLORS	-	White
LES	-	7/7/11 mm
Suitable COB	-	1304/0801
Suitable COB	-	1507/1501



LLS -71-316

LED -COB DEGREE & HEIGHT ADJ - 360 DEG MOVEABLE SPOT LIGHT HOUSING (6) WATTS

Outer Diameter	-	60 mm
Height	-	122 mm
Ceiling -ht-min	-	40 mm
Cut Out	-	55 mm
Wattage	-	6w
Reflector Angle	-	8-30°
COLORS	-	Wh/Bk
LES	-	7 mm
Suitable COB	-	V4HD/1304



LLS -72-60

LED -COB SURFACE PENDANT LIGHT HOUSING (12W)

O.Dia (centre)	-	85 mm
O.Dia (edge)	-	57 mm
Height	-	66 mm
Wattage	-	10w
Reflector Angle	-	36 °
COLORS	-	Brass + Gmb
COLORS	-	B Grey + Gmb
LES	-	11 mm
Suitable COB	-	1507/10501

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -73-184

LED-COB DEEP RECEESEDSPOT LIGHT HOUSING(12W) NEW COLORS ANTIQUE GOLDEN TIQUE GREY

Outer Diameter	-	81 mm
Height	-	70 mm
Cut Out	-	75 mm
Wattage	-	12w
Reflector Angle	-	36 °
COLORS	-	Antique Gold
COLORS	-	Antique Grey
LES	-	11 mm
Suitable COB	-	1507


LLS -74 -308

LED-COB DEEP RECEESED CURVE SPOT LIGHT HOUSING (6/8/12/15) WATTS BRASS GOLD

Outer -(mm)	-	52/62/72/82
Cut Out -(mm)	-	45/55/65/75
Height- (mm)	-	61/64/70/71
Wattage	-	6/8/12/15
Angle	-	36 °
COLORS	-	GOLD
LES	-	7/7/11/11
Suitable LED	-	1304/1304
Suitable LED	-	07/1517



COB SPOT LIGHTS





LLS -75-122

LED-COB DEEPRECEESED SPOT LIGHTHOUSING(8/12/15W) NEW COLORS BRASS GOLDEN TIQUE GOLDEN TIQUE GREY

Outer Specs (mm)	-	62/71/81
Height (mm)	-	68/78/78
Cut Out (mm)	-	55/65/75
Wattage	-	8/12/15 W
Reflector Angle	-	36 °
COLORS	-	Brass Gold
COLORS	-	Antique Gold
COLORS	-	Antique Grey
LES	-	7/11/11 mm
Suitable COB	-	1304/1507
Suitable COB	-	1512

LLS -76-224

LED-COB DEEP RECEESED EMBOSSED SPOT LIGHTHOUSING(12/15W) NEW COLORS BRASS GOLDEN TIQUE GOLD

Outer Diameter	-	63/73 mm
Height	-	71/78 mm
Cut Out	-	55/65 mm
Wattage	-	12/15 W
Reflector Angle	-	36 °
COLORS	-	Brass Gold
COLORS	-	Antique Gold
LES	-	11 mm
Suitable COOB	-	1507/1512



+91 7454891011/ 9702222211 sales@ledwark.com www.ledwark.com

COB SPOT LIGHTS





LLS -77-297

LED-COB TELESCOPIC ADJUSTABLE SPOT LIGHT HOUSING(21/24 W)

OD-4L SQUARE	-	67 x67 mm
Height	-	24+74 mn
Cut Out	-	55 mm
OD-4L LINEAR	-	127 x37 mm
Height	-	24 +74 mn
Cut Out	-	55 mm
Angle	-	24 °
COLORS	-	Grey
Suitable LED	-	1304
Wattage	-	21/24 w

LLS -78-297

LED-COB TELESCOPIC ADJUSTABLE SPOT LIGHT HOUSING(10/14/18 W)

OD-1L	-	47 x37mm
Height	-	24 + 74mm
Cut Out	-	35 mm
OD-2L	-	67 x37mm
Cut Out/Heigh	-	24 + 74mm
Cut Out	-	35 mm
OD-3L	-	67 x63mm
Cut Out/Heigh	-	24 + 74mm
Cut Out	-	35 mm
Angle	-	24 °
COLORS	-	Grey
Suitable LED	-	1304
Wattage	-	10/14/18 w





COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -79-288

LED COB SLIM 15 DEG SPOT LIGHT HOUSING (9 W)

Outer Diameter	-	46 mm
Height	-	98 mm
Cut Out	-	38 mm
Wattage	-	10w
Reflector Angle	-	15 °
COLORS	-	White
LES	-	7 mm
Suitable COB	-	BLX V6HD

LLS -80-289


LED COB- SLIM PIN HOLE 15 DEG FRONTLOADING SPOT LIGHT HOUSING (10 W)

Outer Diameter	-	53 mm
Height	-	80 mm
Cut Out	-	45 mm
Wattage	-	10w
Reflector Angle	-	15 °
COLORS	-	White
LES	-	7 mm
Suitable COB	-	BLX V6HD



COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -81-122

LED-COB DEEP RECEESED SPOT LIGHT HOUSING (8/12/15W) NEW COLORS BRASS GOLD ANTIQUE GOLD ANTIQUE GREY

Outer Specs (mm)	-	62/71/81
Height (mm)	-	68/78/78
Cut Out (mm)	-	55/65/75
Wattage	-	8/12/15 W
Reflector Angle	-	36 °
COLORS	-	Brass Gold
COLORS	-	Antique Gold
COLORS	-	Antique Grey
LES	-	7/11/11 mm
Suitable COB	-	1304/1507
Suitable COB	-	1512



LLS -82-208

LED CURVY -SPOT LIGHT HOUSING FRONT LOADING (9/12/15/20/25) WATTS

Outer Diameter	-	42/52/62/72/82
Height	-	85/88/93/97/98
Cut Out	-	35/45/55/65/75
Wattage	-	9/12/15/20/25
Reflector Angle	-	36°
COLORS	-	White
LES	-	7/7/11/11/11
Suitable COB	-	1304/0801
Suitable COB	-	V6HD
Suitable COB	-	1507/1501
Suitable COB	-	1512

COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -83-290

LED PULL OUT HOUSING DEGREE ADJUSTABLE 10-42 DEG (10W)

Outer Diameter	-	53 mm
Height	-	109+141 mm
Cut out	-	45 mm
Wattage	-	8-12w
Reflector Angle	-	10-42°
COLORS	-	White
Suitable LED	-	SMD 10W

LLS -84-291

LED PULL OUT HOUSING 8 DEG (10W)

Outer Diameter	-	53 mm
Height	-	109+113 mm
Cut out	-	45 mm
Wattage	-	8-12w
Reflector Angle	-	8 °
COLORS	-	White
Suitable LED	-	SMD 10W



COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS

LLS -85-298

LED-COB TRIMLESS MOVEABLE L TYPE SPOT LIGHT HOUSING (15-18 W)



Outer Diamete	-	116 mm
Height	-	90 mm
Cut Out	-	70 mm
Wattage	-	15-18w
COLORS	-	white
LES	-	11 mm
Suitable COB	-	1512
Reflector Angle	-	24 °

LLS -86-39

LED-COB MOVEABLE & DEGREE ADUSTABLE (25-45 DEG) MINI SPOT LIGHT HOUSING (3W)

Outer Diameter	-	20 mm
Height	-	16 + 31 + 30mm
Cut Out	-	18 mm
Wattage	-	3w
COLORS	-	Black
Angle	-	25-45 ° Adj
Suitable LED	-	3535



COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS

LLS -87 -312

LED-COB CONCEALED MOVEABLE DEGREE ADJUSTABLE SPOTLIGHT HOUSING (8/12W)



Outer Diameter	-	60 mm
Height (8w)	-	20 + 140(mm)
Height (12w)	-	20 + 156(mm)
Cut Out	-	50 mm
Wattage	-	8/12w
Reflector Angle	-	10-60 °
COLORS	-	Bk
LES	-	7/11 mm
Suitable COB	-	1304/1507

LLS -88-27

LED-COB DEGREE ADJUSTABLE TRACK SPOT LIGHT HOUSING (30W)

Body specs (mm)	-	65 x 158
Wattage	-	30w
Driver BOX (mm)	-	165 x 60 x 37
Reflector Angle	-	10-60°
COLORS	-	Bk
LES	-	14 mm
Suitable COB	-	1816



COB SPOT LIGHTS



LLS -89-275

LED COB SLIM SIZE WALL WASHERHOUSING(8/9W)

Outer Diameter	-	62/82 mm
Height(B-side)	-	97/95 mm
Cut Out	-	55/75 mm
Wattage	-	12/16w
COLORS	-	Gun black
Reflector Angle	-	36 °
LES	-	7/11mm
Suitable COB	-	1304/1507

LLS -90-237

LED COB SLIM SIZE DEEP RECESSED ANTIGLARE HOUSING (10-12W)

Outer Diameter	-	56/66/86 mm
Height(B-side)	-	82/83/103 mm
Cut Out	-	45/55/75 mm
Wattage	-	6/10/16w
COLORS	-	White/Bk
Reflector Angle	-	36 °
LES	-	7/11/11 mm
Suitable COB	-	1304/1507
Suitable COB	-	1512



COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -91-157

COB SLIM CONCEALED ADJ LED SPOT LIGHT HOUSING

Outer Diameter	-	48 mm
Height	-	19 + 65mm
Cut Out	-	38 mm
Wattage	-	6w
Reflector Angle	-	38 °
COLORS	-	wh/Bk
LES	-	7 mm
Suitable COB	-	Cree 1304

LLS -92-48

12-LED COB RECESSED SPOT LIGHT HOUSING

SIZE (OUTER DIAMETER X HEIGHT)	-	52 mm x 120 mm
SIZE (CUTOUT)	-	55 mm
WATTAGE	-	12
REFLECTOR ANGLE	-	24°
COLORS	-	W
LES	-	11 mm



COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS



LLS -93-40

LED SMALL PULL OUTSPOT LIGHT HOUSING (5 W)

Outer Diameter	-	45 mm
Height	-	50 mm
Cut Out	-	35 mm
Wattage	-	Sw
Reflector Angle	-	24 °
COLORS	-	BK
Suitable LED	-	SMD-3535

LLS -94-41

LED SMALLPULL OUT B SPOT LIGHT HOUSING(3 W) RIM & TRIMLESS

Outer Dia (Rim)	-	35 mm
Outer Dia (Trim)	-	50 mm
Height	-	46 +40 mm
Cut out	-	25 mm
Wattage	-	3w
Reflector Angle	-	36 °
COLORS	-	White
Suitable LED	-	SMD-3535



COB SPOT LIGHTS

LEDWARK
LIGHTING SOLUTIONS

LLS -95-156

LED LINEA -PULL OUT SPOT LIGHT HOUSING



NO of LEDS	-	3
Dimensions	-	139 x 30 mm
Height	-	70 + 69mm
Cut Out	-	129 x 42 mm
Wattage	-	21w
Reflector Angle	-	36°
COLORS	-	Wh
LES	-	7 mm
Suitable COB	-	Cree 1304

LLS -96-156

LED LINEA -PULL OUT SPOT LIGHT HOUSING

NO of LEDS	-	2
Dimensions	-	100 x 30 mm
Height	-	70 + 69mm
Cut Out	-	90 x 42 mm
Wattage	-	14w
Reflector Angle	-	36°
COLORS	-	Wh
LES	-	7 mm
Suitable COB	-	Cree 1304



COB SPOT LIGHTS



LLS -97-237

LED-COB PULL OUT HOUSING (10/18 WATTS)

Outer Diameter	-	62/84 mm
Height	-	(81 + 85) / (95 + 103)
Cut out	-	55/75 mm
Wattage	-	10/18 w
Reflector Angle	-	36 °
COLORS	-	White
LES	-	7/11 mm
Suitable COB	-	V6HD
Suitable COB	-	1512

LEDWARK

LIGHTING SOLUTIONS

+91 7454891011/ 9702222211

sales@ledwark.com

www.ledwark.com

Gala No 3,Shree Krishna Udyog Veer
Hanuman Nagar Kandarpada,Dahisar West
Dahisar 400068